Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	1	1	2
Diagnosis		% within Sex	1.7%	3.6%	2.3%
	20-24	Count	7	6	13
		% within Sex	11.9%	21.4%	14.9%
	25-29	Count	4	5	9
		% within Sex	6.8%	17.9%	10.3%
	30-34	Count	9	4	13
		% within Sex	15.3%	14.3%	14.9%
	35-39	Count	14	4	18
		% within Sex	23.7%	14.3%	20.7%
	40-44	Count	12	1	13
		% within Sex	20.3%	3.6%	14.9%
	45-49	Count	7	5	12
		% within Sex	11.9%	17.9%	13.8%
	50-54	Count	3	1	4
		% within Sex	5.1%	3.6%	4.6%
	60-64	Count	1	0	1
		% within Sex	1.7%	.0%	1.1%
	65-69	Count	0	1	1
		% within Sex	.0%	3.6%	1.1%
	70+	Count	1	0	1
		% within Sex	1.7%	.0%	1.1%
Total		Count	59	28	87
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	23	5	28
		% within Sex	39.0%	17.9%	32.2%
	African American	Count	29	22	51
		% within Sex	49.2%	78.6%	58.6%
	Hispanic	Count	4	1	5
		% within Sex	6.8%	3.6%	5.7%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	3.4%	.0%	2.3%
	Not Specified	Count	1	0	1
		% within Sex	1.7%	.0%	1.1%
Total		Count	59	28	87
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	26	0	26
Exposure		% within Sex	44.1%	.0%	29.9%
	IDU	Count	2	3	5
		% within Sex	3.4%	10.7%	5.7%
	Heterosexual Contact	Count	7	12	19
		% within Sex	11.9%	42.9%	21.8%
	Transfusion	Count	0	1	1
		% within Sex	.0%	3.6%	1.1%
	Not Classified	Count	24	12	36
		% within Sex	40.7%	42.9%	41.4%
Total		Count	59	28	87
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	28	28
		% within Adult-Ped	32.2%	32.2%
	African American	Count	51	51
		% within Adult-Ped	58.6%	58.6%
	Hispanic	Count	5	5
		% within Adult-Ped	5.7%	5.7%
	Asian-Pacific Islander	Count	2	2
		% within Adult-Ped	2.3%	2.3%
	Not Specified	Count	1	1
		% within Adult-Ped	1.1%	1.1%
Total		Count	87	87
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	2	4	6
Diagnosis		% within Sex	6.1%	14.3%	9.8%
	20-24	Count	5	3	8
		% within Sex	15.2%	10.7%	13.1%
	25-29	Count	2	4	6
		% within Sex	6.1%	14.3%	9.8%
	30-34	Count	7	3	10
		% within Sex	21.2%	10.7%	16.4%
	35-39	Count	7	6	13
		% within Sex	21.2%	21.4%	21.3%
	40-44	Count	3	6	9
		% within Sex	9.1%	21.4%	14.8%
	45-49	Count	3	0	3
		% within Sex	9.1%	.0%	4.9%
	50-54	Count	2	2	4
		% within Sex	6.1%	7.1%	6.6%
	55-59	Count	1	0	1
		% within Sex	3.0%	.0%	1.6%
	60-64	Count	1	0	1
		% within Sex	3.0%	.0%	1.6%
Total	•	Count	33	28	61
- DUD	DUD 5	% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	11	10	21
		% within Sex	33.3%	35.7%	34.4%
	African American	Count	20	18	38
		% within Sex	60.6%	64.3%	62.3%
	Hispanic	Count	1	0	1
		% within Sex	3.0%	.0%	1.6%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	3.0%	.0%	1.6%
Total		Count	33	28	61
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	12	0	12
Exposure		% within Sex	36.4%	.0%	19.7%
	IDU	Count	5	4	9
		% within Sex	15.2%	14.3%	14.8%
	M-M & IDU	Count	2	0	2
		% within Sex	6.1%	.0%	3.3%
	Heterosexual Contact	Count	9	15	24
		% within Sex	27.3%	53.6%	39.3%
	Not Classified	Count	5	9	14
		% within Sex	15.2%	32.1%	23.0%
Total		Count	33	28	61
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	21	21
		% within Adult-Ped	34.4%	34.4%
	African American	Count	38	38
		% within Adult-Ped	62.3%	62.3%
	Hispanic	Count	1	1
		% within Adult-Ped	1.6%	1.6%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	1.6%	1.6%
Total		Count	61	61
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

Age at Diagnosis				Se	ex	
Diagnosis % within Sex .9% 2.3% 1.5% 1 (12-23 mo) Count 1 0 1 % within Sex .4% .0% .3% 2-4 Count 0 2 2 % within Sex .0% .6% .3% 5-12 Count 0 1 1 % within Sex .0% .6% .3% 13-19 Count 4 25 29 % within Sex 1.8% 14.6% 7.4% 20-24 Count 33 36 69 % within Sex 14.8% 21.1% 17.5% 25-29 Count 29 23 52 % within Sex 13.0% 13.5% 13.2% 30-34 Count 32 26 58 % within Sex 14.3% 15.2% 14.7% 40-44 Count 30 17 47 % within Sex 13.5% 9.9% 11.9% </td <td></td> <td></td> <td></td> <td>Male</td> <td>Female</td> <td>Total</td>				Male	Female	Total
1 (12-23 mo) Count		0 (0-11 mo)	Count	2	4	6
Within Sex	Diagnosis		% within Sex	.9%	2.3%	1.5%
2-4 Count % within Sex 0.0% 1.2% .5% 5-12 Count 0 1 1 1 % within Sex .0% .6% .3% 13-19 Count 4 25 29 % within Sex 1.8% 14.6% 7.4% 20-24 Count 33 36 69 % within Sex 14.8% 21.1% 17.5% 25-29 Count 29 23 52 % within Sex 13.0% 13.5% 13.2% 30-34 Count 32 26 58 % within Sex 14.3% 15.2% 14.7% 35-39 Count 51 19 70 % within Sex 22.9% 11.1% 17.8% 40-44 Count 30 17 47 % within Sex 13.5% 9.9% 11.9% 45-49 Count 20 6 26 % within Sex 9.0%		1 (12-23 mo)	Count	1	0	1
% within Sex .0% 1.2% .5% 5-12 Count 0 1 1 % within Sex .0% .6% .3% 13-19 Count 4 25 29 % within Sex 1.8% 14.6% 7.4% 20-24 Count 33 36 69 % within Sex 14.8% 21.1% 17.5% 25-29 Count 29 23 52 % within Sex 13.0% 13.5% 13.2% 30-34 Count 32 26 58 % within Sex 14.3% 15.2% 14.7% 35-39 Count 51 19 70 % within Sex 22.9% 11.1% 17.8% 40-44 Count 30 17 47 % within Sex 13.5% 9.9% 11.9% 45-49 Count 20 6 26 % within Sex 9.0% 3.5% 6.6% <			% within Sex	.4%	.0%	.3%
5-12 Count % within Sex .0% .6% .3% 13-19 Count % within Sex 1.8% 14.6% 7.4% 20-24 Count 33 36 69 % within Sex 14.8% 21.1% 17.5% 25-29 Count 29 23 52 % within Sex 13.0% 13.5% 13.2% 30-34 Count 32 26 58 % within Sex 14.3% 15.2% 14.7% 35-39 Count 51 19 70 % within Sex 22.9% 11.1% 17.8% 40-44 Count 30 17 47 % within Sex 13.5% 9.9% 11.9% 45-49 Count 20 6 26 % within Sex 9.0% 3.5% 6.6% 50-54 Count 3 1 4 % within Sex 1.3% 6 19 % within Sex 1.3% 6% 1.0% 60-64 Count 2 3		2-4	Count	0	2	2
Within Sex			% within Sex	.0%	1.2%	.5%
13-19		5-12	Count	0	1	1
% within Sex 1.8% 14.6% 7.4% 20-24 Count 33 36 69 % within Sex 14.8% 21.1% 17.5% 25-29 Count 29 23 52 % within Sex 13.0% 13.5% 13.2% 30-34 Count 32 26 58 % within Sex 14.3% 15.2% 14.7% 35-39 Count 51 19 70 % within Sex 22.9% 11.1% 17.8% 40-44 Count 30 17 47 % within Sex 13.5% 9.9% 11.9% 45-49 Count 20 6 26 % within Sex 9.0% 3.5% 6.6% 50-54 Count 13 6 19 % within Sex 5.8% 3.5% 4.8% 55-59 Count 3 1 4 % within Sex 1.3% .6% 1.0%			% within Sex	.0%	.6%	.3%
20-24		13-19	Count	4	25	29
Within Sex			% within Sex	1.8%	14.6%	7.4%
25-29		20-24	Count	33	36	69
Within Sex 13.0% 13.5% 13.2% 30-34 Count 32 26 58 % within Sex 14.3% 15.2% 14.7% 35-39 Count 51 19 70 % within Sex 22.9% 11.1% 17.8% 40-44 Count 30 17 47 47 % within Sex 13.5% 9.9% 11.9% 45-49 Count 20 6 26 % within Sex 9.0% 3.5% 6.6% 50-54 Count 13 6 19 % within Sex 5.8% 3.5% 4.8% 55-59 Count 3 1 4 % within Sex 1.3% 6.6% 1.0% 60-64 Count 2 3 5 % within Sex 9.9% 1.8% 1.3% 65-69 Count 0 2 2 2 % within Sex 0.9% 1.2% 5.5% 70+ Count 2 0 2 2 % within Sex 0.9% 1.2% 5.5% Unknown Count 1 0 1 % within Sex 0.9% 0.0% 0.5% Total Count 223 171 394 Total Total Count 223 171 394 Total T			% within Sex	14.8%	21.1%	17.5%
30-34		25-29	Count	29	23	52
Within Sex			% within Sex	13.0%	13.5%	13.2%
35-39 Count 51 19 70 70 % within Sex 22.9% 11.1% 17.8% 40-44 Count 30 17 47 47		30-34	Count	32	26	58
% within Sex 22.9% 11.1% 17.8% 40-44 Count 30 17 47 % within Sex 13.5% 9.9% 11.9% 45-49 Count 20 6 26 % within Sex 9.0% 3.5% 6.6% 50-54 Count 13 6 19 % within Sex 5.8% 3.5% 4.8% 55-59 Count 3 1 4 % within Sex 1.3% .6% 1.0% 60-64 Count 2 3 5 % within Sex .9% 1.8% 1.3% 65-69 Count 0 2 2 % within Sex .0% 1.2% .5% 70+ Count 2 0 2 % within Sex .9% .0% .5% Unknown Count 1 0 1 % within Sex .4% .0% .3%			% within Sex	14.3%	15.2%	14.7%
40-44		35-39	Count	51	19	70
Within Sex			% within Sex	22.9%	11.1%	17.8%
A5-49		40-44	Count	30	17	47
% within Sex 9.0% 3.5% 6.6% 50-54 Count 13 6 19 % within Sex 5.8% 3.5% 4.8% 55-59 Count 3 1 4 % within Sex 1.3% .6% 1.0% 60-64 Count 2 3 5 % within Sex .9% 1.8% 1.3% 65-69 Count 0 2 2 % within Sex .0% 1.2% .5% 70+ Count 2 0 2 % within Sex .9% .0% .5% Unknown Count 1 0 1 % within Sex .4% .0% .3%			% within Sex	13.5%	9.9%	11.9%
Total Tota		45-49	Count	20	6	26
% within Sex 5.8% 3.5% 4.8% 55-59 Count 3 1 4 % within Sex 1.3% .6% 1.0% 60-64 Count 2 3 5 % within Sex .9% 1.8% 1.3% 65-69 Count 0 2 2 % within Sex .0% 1.2% .5% 70+ Count 2 0 2 % within Sex .9% .0% .5% Unknown Count 1 0 1 % within Sex .4% .0% .3% Total Count 223 171 394			% within Sex	9.0%	3.5%	6.6%
55-59 Count % within Sex 3 1 4 60-64 Count % within Sex 9% 1.8% 1.3% 65-69 Count % within Sex 0% 1.2% .5% 70+ Count % within Sex 9% .0% .5% Unknown Count % within Sex .9% .0% .5% Total Count % within Sex .4% .0% .3%		50-54	Count	13	6	19
Within Sex			% within Sex	5.8%	3.5%	4.8%
60-64 Count % within Sex .9% 1.8% 1.3% 65-69 Count % within Sex .0% 1.2% .5% 70+ Count % within Sex .9% .0% .5% Unknown Count % within Sex .9% .0% .5% Total Count % within Sex .4% .0% .3%		55-59	Count	3	1	4
Within Sex .9% 1.8% 1.3%			% within Sex	1.3%	.6%	1.0%
65-69 Count % within Sex 0 2 2 70+ Count % within Sex .0% 1.2% .5% Unknown Count % within Sex .9% .0% .5% Unknown Count % within Sex .4% .0% .3% Total Count % 223 171 394		60-64	Count	2	3	5
Within Sex .0% 1.2% .5%			% within Sex	.9%	1.8%	1.3%
70+ Count % within Sex 2 .9% .0% .5% Unknown Count % within Sex .4% .0% .3% Total Count 223 171 394		65-69	Count	0	2	2
% within Sex .9% .0% .5% Unknown Count 1 0 1 % within Sex .4% .0% .3% Total Count 223 171 394			% within Sex	.0%	1.2%	.5%
Unknown Count % within Sex 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		70+	Count		0	
% within Sex .4% .0% .3% Total Count 223 171 394			% within Sex	.9%	.0%	.5%
Total Count 223 171 394		Unknown	Count	1	0	1
Total Count 223 171 394			% within Sex	.4%	.0%	.3%
% within Sex 100.0% 100.0% 100.0%	Total		Count			
			% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	88	37	125
		% within Sex	39.5%	21.6%	31.7%
	African American	Count	113	126	239
		% within Sex	50.7%	73.7%	60.7%
	Hispanic	Count	11	6	17
		% within Sex	4.9%	3.5%	4.3%
	Asian-Pacific Islander	Count	3	0	3
		% within Sex	1.3%	.0%	.8%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Not Specified	Count	7	2	9
		% within Sex	3.1%	1.2%	2.3%
Total		Count	223	171	394
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	94	0	94
Exposure		% within Sex	42.2%	.0%	23.9%
	IDU	Count	19	16	35
		% within Sex	8.5%	9.4%	8.9%
	M-M & IDU	Count	15	0	15
		% within Sex	6.7%	.0%	3.8%
	Heterosexual Contact	Count	31	79	110
		% within Sex	13.9%	46.2%	27.9%
	Transfusion	Count	0	1	1
		% within Sex	.0%	.6%	.3%
	Not Classified	Count	61	68	129
		% within Sex	27.4%	39.8%	32.7%
	Ped Parent at Risk	Count	3	7	10
		% within Sex	1.3%	4.1%	2.5%
Total	_	Count	223	171	394
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	1	123	1	125
		% within Adult-Ped	10.0%	32.1%	100.0%	31.7%
	African American	Count	7	232	0	239
		% within Adult-Ped	70.0%	60.6%	.0%	60.7%
	Hispanic	Count	2	15	0	17
		% within Adult-Ped	20.0%	3.9%	.0%	4.3%
	Asian-Pacific Islander	Count	0	3	0	3
		% within Adult-Ped	.0%	.8%	.0%	.8%
	Am Indian-Alaskan	Count	0	1	0	1
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	9	0	9
		% within Adult-Ped	.0%	2.3%	.0%	2.3%
Total		Count	10	383	1	394
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se		
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	4	6
Diagnosis		% within Sex	.9%	2.4%	1.6%
	1 (12-23 mo)	Count	1	0	1
		% within Sex	.5%	.0%	.3%
	2-4	Count	0	2	2
		% within Sex	.0%	1.2%	.5%
	5-12	Count	0	1	1
		% within Sex	.0%	.6%	.3%
	13-19	Count	4	25	29
		% within Sex	1.8%	14.8%	7.5%
	20-24	Count	32	36	68
		% within Sex	14.7%	21.3%	17.6%
	25-29	Count	28	23	51
		% within Sex	12.8%	13.6%	13.2%
	30-34	Count	32	26	58
		% within Sex	14.7%	15.4%	15.0%
	35-39	Count	50	19	69
		% within Sex	22.9%	11.2%	17.8%
	40-44	Count	29	16	45
		% within Sex	13.3%	9.5%	11.6%
	45-49	Count	19	6	25
		% within Sex	8.7%	3.6%	6.5%
	50-54	Count	13	6	19
		% within Sex	6.0%	3.6%	4.9%
	55-59	Count	3	0	3
		% within Sex	1.4%	.0%	.8%
	60-64	Count	2	3	5
		% within Sex	.9%	1.8%	1.3%
	65-69	Count	0	2	2
		% within Sex	.0%	1.2%	.5%
	70+	Count	2	0	2
		% within Sex	.9%	.0%	.5%
	Unknown	Count	1	0	1
		% within Sex	.5%	.0%	.3%
Total		Count	218	169	387
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	3	5	8
Age		% within Sex	1.4%	3.0%	2.1%
	13-19	Count	2	5	7
		% within Sex	.9%	3.0%	1.8%
	20-24	Count	14	26	40
		% within Sex	6.4%	15.4%	10.3%
	25-29	Count	20	35	55
		% within Sex	9.2%	20.7%	14.2%
	30-34	Count	25	23	48
		% within Sex	11.5%	13.6%	12.4%
	35-39	Count	50	28	78
		% within Sex	22.9%	16.6%	20.2%
	40-44	Count	38	17	55
		% within Sex	17.4%	10.1%	14.2%
	45-49	Count	37	17	54
		% within Sex	17.0%	10.1%	14.0%
	50-54	Count	15	3	18
		% within Sex	6.9%	1.8%	4.7%
	55-59	Count	6	3	9
		% within Sex	2.8%	1.8%	2.3%
	60-64	Count	6	3	9
		% within Sex	2.8%	1.8%	2.3%
	65-69	Count	0	3	3
		% within Sex	.0%	1.8%	.8%
	70+	Count	2	1	3
		% within Sex	.9%	.6%	.8%
Total		Count	218	169	387
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	83	37	120
		% within Sex	38.1%	21.9%	31.0%
	African American	Count	113	124	237
		% within Sex	51.8%	73.4%	61.2%
	Hispanic	Count	11	6	17
		% within Sex	5.0%	3.6%	4.4%
	Asian-Pacific Islander	Count	3	0	3
		% within Sex	1.4%	.0%	.8%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.5%	.0%	.3%
	Not Specified	Count	7	2	9
		% within Sex	3.2%	1.2%	2.3%
Total	_	Count	218	169	387
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	92	0	92
Exposure		% within Sex	42.2%	.0%	23.8%
	IDU	Count	19	16	35
		% within Sex	8.7%	9.5%	9.0%
	M-M & IDU	Count	12	0	12
		% within Sex	5.5%	.0%	3.1%
	Heterosexual Contact	Count	31	78	109
		% within Sex	14.2%	46.2%	28.2%
	Transfusion	Count	0	1	1
		% within Sex	.0%	.6%	.3%
	Not Classified	Count	61	67	128
		% within Sex	28.0%	39.6%	33.1%
	Ped Parent at Risk	Count	3	7	10
		% within Sex	1.4%	4.1%	2.6%
Total		Count	218	169	387
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	1	118	1	120
		% within Adult-Ped	10.0%	31.4%	100.0%	31.0%
	African American	Count	7	230	0	237
		% within Adult-Ped	70.0%	61.2%	.0%	61.2%
	Hispanic	Count	2	15	0	17
		% within Adult-Ped	20.0%	4.0%	.0%	4.4%
	Asian-Pacific Islander	Count	0	3	0	3
		% within Adult-Ped	.0%	.8%	.0%	.8%
	Am Indian-Alaskan	Count	0	1	0	1
		% within Adult-Ped	.0%	.3%	.0%	.3%
	Not Specified	Count	0	9	0	9
		% within Adult-Ped	.0%	2.4%	.0%	2.3%
Total		Count	10	376	1	387
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	0	1	1
Diagnosis		% within Sex	.0%	4.8%	1.5%
	20-24	Count	4	2	6
		% within Sex	8.9%	9.5%	9.1%
	25-29	Count	6	1	7
		% within Sex	13.3%	4.8%	10.6%
	30-34	Count	6	6	12
		% within Sex	13.3%	28.6%	18.2%
	35-39	Count	8	3	11
		% within Sex	17.8%	14.3%	16.7%
	40-44	Count	6	2	8
		% within Sex	13.3%	9.5%	12.1%
	45-49	Count	7	4	11
		% within Sex	15.6%	19.0%	16.7%
	50-54	Count	4	2	6
		% within Sex	8.9%	9.5%	9.1%
	55-59	Count	1	0	1
		% within Sex	2.2%	.0%	1.5%
	60-64	Count	2	0	2
		% within Sex	4.4%	.0%	3.0%
	70+	Count	1	0	1
		% within Sex	2.2%	.0%	1.5%
Total		Count	45	21	66
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	14	8	22
		% within Sex	31.1%	38.1%	33.3%
	African American	Count	28	12	40
		% within Sex	62.2%	57.1%	60.6%
	Hispanic	Count	2	1	3
		% within Sex	4.4%	4.8%	4.5%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	2.2%	.0%	1.5%
Total		Count	45	21	66
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	12	0	12
Exposure		% within Sex	26.7%	.0%	18.2%
	IDU	Count	4	5	9
		% within Sex	8.9%	23.8%	13.6%
	M-M & IDU	Count	4	0	4
		% within Sex	8.9%	.0%	6.1%
	Heterosexual Contact	Count	10	5	15
		% within Sex	22.2%	23.8%	22.7%
	Transfusion	Count	0	2	2
		% within Sex	.0%	9.5%	3.0%
	Not Classified	Count	15	9	24
		% within Sex	33.3%	42.9%	36.4%
Total		Count	45	21	66
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	22	22
		% within Adult-Ped	33.3%	33.3%
	African American	Count	40	40
		% within Adult-Ped	60.6%	60.6%
	Hispanic	Count	3	3
		% within Adult-Ped	4.5%	4.5%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	1.5%	1.5%
Total		Count	66	66
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	0	5	5
Diagnosis		% within Sex	.0%	15.2%	6.8%
	25-29	Count	3	5	8
		% within Sex	7.5%	15.2%	11.0%
	30-34	Count	8	1	9
		% within Sex	20.0%	3.0%	12.3%
	35-39	Count	11	7	18
		% within Sex	27.5%	21.2%	24.7%
	40-44	Count	11	8	19
		% within Sex	27.5%	24.2%	26.0%
	45-49	Count	3	6	9
		% within Sex	7.5%	18.2%	12.3%
	50-54	Count	2	0	2
		% within Sex	5.0%	.0%	2.7%
	55-59	Count	2	1	3
		% within Sex	5.0%	3.0%	4.1%
Total		Count	40	33	73
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	18	9	27
		% within Sex	45.0%	27.3%	37.0%
	African American	Count	20	24	44
		% within Sex	50.0%	72.7%	60.3%
	Hispanic	Count	1	0	1
		% within Sex	2.5%	.0%	1.4%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	2.5%	.0%	1.4%
Total		Count	40	33	73
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	12	0	12
Exposure		% within Sex	30.0%	.0%	16.4%
	IDU	Count	5	5	10
		% within Sex	12.5%	15.2%	13.7%
	M-M & IDU	Count	8	0	8
		% within Sex	20.0%	.0%	11.0%
	Heterosexual Contact	Count	5	17	22
		% within Sex	12.5%	51.5%	30.1%
	Not Classified	Count	10	9	19
		% within Sex	25.0%	27.3%	26.0%
	Ped Other-Undet	Count	0	2	2
		% within Sex	.0%	6.1%	2.7%
Total		Count	40	33	73
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	27	27
		% within Adult-Ped	37.0%	37.0%
	African American	Count	44	44
		% within Adult-Ped	60.3%	60.3%
	Hispanic	Count	1	1
		% within Adult-Ped	1.4%	1.4%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	1.4%	1.4%
Total		Count	73	73
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	3	3	6
Diagnosis		% within Sex	.3%	1.0%	.5%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.1%	.3%	.2%
	2-4	Count	1	4	5
		% within Sex	.1%	1.4%	.4%
	5-12	Count	5	1	6
		% within Sex	.5%	.3%	.5%
	13-19	Count	6	12	18
		% within Sex	.6%	4.1%	1.4%
	20-24	Count	54	36	90
		% within Sex	5.5%	12.3%	7.1%
	25-29	Count	160	63	223
		% within Sex	16.4%	21.6%	17.6%
	30-34	Count	225	44	269
		% within Sex	23.1%	15.1%	21.3%
	35-39	Count	191	47	238
		% within Sex	19.6%	16.1%	18.8%
	40-44	Count	150	36	186
		% within Sex	15.4%	12.3%	14.7%
	45-49	Count	69	19	88
		% within Sex	7.1%	6.5%	7.0%
	50-54	Count	57	10	67
		% within Sex	5.9%	3.4%	5.3%
	55-59	Count	23	7	30
		% within Sex	2.4%	2.4%	2.4%
	60-64	Count	18	3	21
		% within Sex	1.8%	1.0%	1.7%
	65-69	Count	3	4	7
		% within Sex	.3%	1.4%	.6%
	70+	Count	7	2	9
		% within Sex	.7%	.7%	.7%
Total		Count	973	292	1265
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	523	96	619
		% within Sex	53.8%	32.9%	48.9%
	African American	Count	382	185	567
		% within Sex	39.3%	63.4%	44.8%
	Hispanic	Count	54	9	63
		% within Sex	5.5%	3.1%	5.0%
	Asian-Pacific Islander	Count	5	1	6
		% within Sex	.5%	.3%	.5%
	Am Indian-Alaskan	Count	8	1	9
		% within Sex	.8%	.3%	.7%
	Not Specified	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	973	292	1265
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	517	0	517
Exposure		% within Sex	53.1%	.0%	40.9%
	IDU	Count	120	89	209
		% within Sex	12.3%	30.5%	16.5%
	M-M & IDU	Count	136	0	136
		% within Sex	14.0%	.0%	10.8%
	Hemophiliac	Count	10	0	10
		% within Sex	1.0%	.0%	.8%
	Heterosexual Contact	Count	41	105	146
		% within Sex	4.2%	36.0%	11.5%
	Transfusion	Count	29	20	49
		% within Sex	3.0%	6.8%	3.9%
	Not Classified	Count	109	65	174
		% within Sex	11.2%	22.3%	13.8%
	Ped Hemophiliac	Count	3	0	3
		% within Sex	.3%	.0%	.2%
	Ped Parent at Risk	Count	6	9	15
		% within Sex	.6%	3.1%	1.2%
	Ped Transfusion	Count	1	1	2
		% within Sex	.1%	.3%	.2%
	Ped Other-Undet	Count	1	3	4
		% within Sex	.1%	1.0%	.3%
Total		Count	973	292	1265
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	10	609	619
	·	% within Adult-Ped	52.6%	48.9%	48.9%
	African American	Count	9	558	567
		% within Adult-Ped	47.4%	44.8%	44.8%
	Hispanic	Count	0	63	63
		% within Adult-Ped	.0%	5.1%	5.0%
	Asian-Pacific Islander	Count	0	6	6
		% within Adult-Ped	.0%	.5%	.5%
	Am Indian-Alaskan	Count	0	9	9
		% within Adult-Ped	.0%	.7%	.7%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.1%	.1%
Total	_	Count	19	1246	1265
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

			Se	X	
1			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	0	2
Diagnosis		% within Sex	.5%	.0%	.4%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.2%	.6%	.4%
	2-4	Count	1	3	4
		% within Sex	.2%	1.8%	.7%
_	5-12	Count	1	0	1
		% within Sex	.2%	.0%	.2%
_	13-19	Count	4	8	12
		% within Sex	1.0%	4.8%	2.1%
_	20-24	Count	24	23	47
		% within Sex	6.0%	13.7%	8.2%
_	25-29	Count	51	33	84
		% within Sex	12.7%	19.6%	14.7%
_	30-34	Count	88	28	116
		% within Sex	21.9%	16.7%	20.4%
_	35-39	Count	88	25	113
		% within Sex	21.9%	14.9%	19.8%
_	40-44	Count	76	22	98
		% within Sex	18.9%	13.1%	17.2%
_	45-49	Count	33	15	48
		% within Sex	8.2%	8.9%	8.4%
_	50-54	Count	20	5	25
		% within Sex	5.0%	3.0%	4.4%
_	55-59	Count	5	3	8
		% within Sex	1.2%	1.8%	1.4%
_	60-64	Count	3	1	4
		% within Sex	.7%	.6%	.7%
_	65-69	Count	2	1	3
		% within Sex	.5%	.6%	.5%
_	70+	Count	3	0	3
		% within Sex	.7%	.0%	.5%
Total		Count	402	168	570
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

Current Age				Se	ex	
Age % within Sex .5% .6% .5% 13-19 Count 2 5 7 % within Sex .5% 3.0% 1.2% 20-24 Count 3 1 4 % within Sex .7% .6% .7% 25-29 Count 19 24 43 % within Sex 4.7% 14.3% 7.5% 30-34 Count 33 27 60 % within Sex 8.2% 16.1% 10.5% 35-39 Count 72 32 104 % within Sex 17.9% 19.0% 18.2% 40-44 Count 106 31 137 % within Sex 26.4% 18.5% 24.0% 45-49 Count 79 24 103 % within Sex 19.7% 14.3% 18.1% 50-54 Count 46 13 59 % within Sex 5.5% 3.0% 4.7%<				Male	Female	Total
13-19		5-12	Count	2	1	3
% within Sex .5% 3.0% 1.2% 20-24 Count 3 1 4 % within Sex .7% .6% .7% 25-29 Count 19 24 43 % within Sex 4.7% 14.3% 7.5% 30-34 Count 33 27 60 % within Sex 8.2% 16.1% 10.5% 35-39 Count 72 32 104 % within Sex 17.9% 19.0% 18.2% 40-44 Count 106 31 137 % within Sex 26.4% 18.5% 24.0% 45-49 Count 79 24 103 % within Sex 19.7% 14.3% 18.1% 50-54 Count 46 13 59 % within Sex 11.4% 7.7% 10.4% 55-59 Count 22 5 27 % within Sex 2.5% .6% 1.9%	Age		% within Sex	.5%	.6%	.5%
20-24 Count 3		13-19	Count	2	5	7
% within Sex .7% .6% .7% 25-29 Count 19 24 43 % within Sex 4.7% 14.3% 7.5% 30-34 Count 33 27 60 % within Sex 8.2% 16.1% 10.5% 35-39 Count 72 32 104 % within Sex 17.9% 19.0% 18.2% 40-44 Count 106 31 137 % within Sex 26.4% 18.5% 24.0% 45-49 Count 79 24 103 % within Sex 19.7% 14.3% 18.1% 50-54 Count 46 13 59 % within Sex 11.4% 7.7% 10.4% 55-59 Count 22 5 27 % within Sex 5.5% 3.0% 4.7% 60-64 Count 10 1 11 % within Sex 2.5% .6% 1.9% <td></td> <td></td> <td>% within Sex</td> <td>.5%</td> <td>3.0%</td> <td>1.2%</td>			% within Sex	.5%	3.0%	1.2%
25-29 Count 19 24 43		20-24	Count	3	1	4
% within Sex 4.7% 14.3% 7.5% 30-34 Count 33 27 60 % within Sex 8.2% 16.1% 10.5% 35-39 Count 72 32 104 % within Sex 17.9% 19.0% 18.2% 40-44 Count 106 31 137 % within Sex 26.4% 18.5% 24.0% 45-49 Count 79 24 103 % within Sex 19.7% 14.3% 18.1% 50-54 Count 46 13 59 % within Sex 11.4% 7.7% 10.4% 55-59 Count 22 5 27 % within Sex 5.5% 3.0% 4.7% 60-64 Count 10 1 11 % within Sex 2.5% .6% 1.9% 65-69 Count 2 2 4 % within Sex .5% 1.2% .7%			% within Sex	.7%	.6%	.7%
30-34 Count 33 27 60 60 % within Sex 8.2% 16.1% 10.5% 35-39 Count 72 32 104 % within Sex 17.9% 19.0% 18.2% 40-44 Count 106 31 137 % within Sex 26.4% 18.5% 24.0% 45-49 Count 79 24 103 % within Sex 19.7% 14.3% 18.1% 50-54 Count 46 13 59 % within Sex 11.4% 7.7% 10.4% 55-59 Count 22 5 27 % within Sex 5.5% 3.0% 4.7% 60-64 Count 10 1 11 11 % within Sex 2.5% .6% 1.9% 65-69 Count 2 2 4 % within Sex .5% 1.2% .7% 70+ Count 6 2 8 % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570		25-29	Count	19	24	43
% within Sex 8.2% 16.1% 10.5% 35-39 Count 72 32 104 % within Sex 17.9% 19.0% 18.2% 40-44 Count 106 31 137 % within Sex 26.4% 18.5% 24.0% 45-49 Count 79 24 103 % within Sex 19.7% 14.3% 18.1% 50-54 Count 46 13 59 % within Sex 11.4% 7.7% 10.4% 55-59 Count 22 5 27 % within Sex 5.5% 3.0% 4.7% 60-64 Count 10 1 11 % within Sex 2.5% .6% 1.9% 65-69 Count 2 2 4 % within Sex .5% 1.2% .7% 70+ Count 6 2 8 % within Sex 1.5% 1.2% 1.4% <td></td> <td></td> <td>% within Sex</td> <td>4.7%</td> <td>14.3%</td> <td>7.5%</td>			% within Sex	4.7%	14.3%	7.5%
35-39 Count 72 32 104 % within Sex 17.9% 19.0% 18.2% 40-44 Count 106 31 137 % within Sex 26.4% 18.5% 24.0% 45-49 Count 79 24 103 % within Sex 19.7% 14.3% 18.1% 50-54 Count 46 13 59 % within Sex 11.4% 7.7% 10.4% 55-59 Count 22 5 27 % within Sex 5.5% 3.0% 4.7% 60-64 Count 10 1 11 % within Sex 2.5% 6% 1.9% 65-69 Count 2 2 4 % within Sex 5.5% 1.2% .7% 70+ Count 6 2 8 % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570 Total Total 168 570 Total Total 168 570 Total Total 168 Total Total 10.0% 1.2% 1.4% Total Total		30-34	Count	33	27	60
% within Sex 17.9% 19.0% 18.2% 40-44 Count 106 31 137 % within Sex 26.4% 18.5% 24.0% 45-49 Count 79 24 103 % within Sex 19.7% 14.3% 18.1% 50-54 Count 46 13 59 % within Sex 11.4% 7.7% 10.4% 55-59 Count 22 5 27 % within Sex 5.5% 3.0% 4.7% 60-64 Count 10 1 11 % within Sex 2.5% .6% 1.9% 65-69 Count 2 2 4 % within Sex .5% 1.2% .7% 70+ Count 6 2 8 % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570			% within Sex	8.2%	16.1%	10.5%
40-44 Count 106 31 137		35-39	Count	72	32	104
% within Sex 26.4% 18.5% 24.0% 45-49 Count 79 24 103 % within Sex 19.7% 14.3% 18.1% 50-54 Count 46 13 59 % within Sex 11.4% 7.7% 10.4% 55-59 Count 22 5 27 % within Sex 5.5% 3.0% 4.7% 60-64 Count 10 1 11 % within Sex 2.5% .6% 1.9% 65-69 Count 2 2 4 % within Sex .5% 1.2% .7% 70+ Count 6 2 8 % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570			% within Sex	17.9%	19.0%	18.2%
45-49 Count 79 24 103		40-44	Count	106	31	137
% within Sex 19.7% 14.3% 18.1% 50-54 Count 46 13 59 % within Sex 11.4% 7.7% 10.4% 55-59 Count 22 5 27 % within Sex 5.5% 3.0% 4.7% 60-64 Count 10 1 11 % within Sex 2.5% .6% 1.9% 65-69 Count 2 2 4 % within Sex .5% 1.2% .7% 70+ Count 6 2 8 % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570			% within Sex	26.4%	18.5%	24.0%
50-54 Count % within Sex 46 13 59 % within Sex 11.4% 7.7% 10.4% 55-59 Count 22 5 27 % within Sex 5.5% 3.0% 4.7% 60-64 Count 10 1 11 % within Sex 2.5% .6% 1.9% 65-69 Count 2 2 4 % within Sex .5% 1.2% .7% 70+ Count 6 2 8 % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570		45-49	Count	79	24	103
% within Sex			% within Sex	19.7%	14.3%	18.1%
55-59 Count % within Sex 22 5 27 60-64 Count 10 1 11 % within Sex 2.5% .6% 1.9% 65-69 Count 2 2 2 4 % within Sex .5% 1.2% .7% 70+ Count 6 2 8 % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570		50-54	Count	46	13	59
Within Sex 5.5% 3.0% 4.7%			% within Sex	11.4%	7.7%	10.4%
60-64 Count % within Sex 10 1 11 % within Sex 2.5% .6% 1.9% 65-69 Count % within Sex 2 2 4 % within Sex .5% 1.2% .7% 70+ Count 6 2 8 % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570		55-59	Count	22	5	27
% within Sex 2.5% .6% 1.9% 65-69 Count (2) 2) 4 (2) 4			% within Sex	5.5%	3.0%	4.7%
65-69 Count % within Sex 2 2 4 % within Sex .5% 1.2% .7% 70+ Count % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570		60-64	Count	10	1	11
% within Sex .5% 1.2% .7% 70+ Count 6 2 8 % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570			% within Sex	2.5%	.6%	1.9%
70+ Count % within Sex 6 2 8 % within Sex 1.5% 1.2% 1.4% Total Count 402 168 570		65-69	Count	2	2	4
% within Sex 1.5% 1.2% 1.4% Total Count 402 168 570			% within Sex	.5%	1.2%	.7%
Total Count 402 168 570		70+	Count	6	2	8
			% within Sex	1.5%	1.2%	1.4%
% within Sex 100.0% 100.0% 100.0%	Total		Count	402	168	570
100.070			% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	184	55	239
		% within Sex	45.8%	32.7%	41.9%
	African American	Count	186	104	290
		% within Sex	46.3%	61.9%	50.9%
	Hispanic	Count	26	7	33
		% within Sex	6.5%	4.2%	5.8%
	Asian-Pacific Islander	Count	5	1	6
		% within Sex	1.2%	.6%	1.1%
	Am Indian-Alaskan	Count	0	1	1
		% within Sex	.0%	.6%	.2%
	Not Specified	Count	1	0	1
		% within Sex	.2%	.0%	.2%
Total		Count	402	168	570
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	205	0	205
Exposure		% within Sex	51.0%	.0%	36.0%
	IDU	Count	51	46	97
		% within Sex	12.7%	27.4%	17.0%
	M-M & IDU	Count	50	0	50
		% within Sex	12.4%	.0%	8.8%
	Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.2%
	Heterosexual Contact	Count	25	65	90
		% within Sex	6.2%	38.7%	15.8%
	Transfusion	Count	7	7	14
		% within Sex	1.7%	4.2%	2.5%
	Not Classified	Count	57	43	100
		% within Sex	14.2%	25.6%	17.5%
	Ped Hemophiliac	Count	2	0	2
		% within Sex	.5%	.0%	.4%
	Ped Parent at Risk	Count	4	5	9
		% within Sex	1.0%	3.0%	1.6%
	Ped Other-Undet	Count	0	2	2
		% within Sex	.0%	1.2%	.4%
Total		Count	402	168	570
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	4	235	239
		% within Adult-Ped	44.4%	41.9%	41.9%
	African American	Count	5	285	290
		% within Adult-Ped	55.6%	50.8%	50.9%
	Hispanic	Count	0	33	33
		% within Adult-Ped	.0%	5.9%	5.8%
	Asian-Pacific Islander	Count	0	6	6
		% within Adult-Ped	.0%	1.1%	1.1%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.2%	.2%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	9	561	570
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 5

Age at Diagnosis * Sex Crosstabulation^a

Age at Diagnosis				Se	ex	
Diagnosis % within Sex .6% 1.2% .8% 1 (12-23 mo) Count 2 1 3 2-4 Count 1 5 6 % within Sex .2% 1.5% .6% 5-12 Count 1 1 2 % within Sex .2% .3% .2% 13-19 Count 8 33 41 % within Sex 1.3% 9.8% 4.3% 20-24 Count 56 59 115 % within Sex 19.0% 17.5% 12.0% 25-29 Count 79 56 135 % within Sex 12.7% 16.6% 14.1% 30-34 Count 120 54 174 % within Sex 19.4% 16.0% 18.2% within Sex 22.3% 13.1% 19.0% 40-44 Count 105 38 143 45-49 Count 52 21				Male	Female	Total
1 (12-23 mo) Count 2		0 (0-11 mo)	Count	4	4	8
Within Sex 3% 3% 3% 3% 2-4 Count 1 5 6 6 6 6 6 6 6 6 6	Diagnosis		% within Sex	.6%	1.2%	.8%
2-4 Count % within Sex 1.5% 6 5-12 Count 1 1 2 % within Sex .2% .3% .2% 13-19 Count 8 33 41 % within Sex 1.3% 9.8% 4.3% 20-24 Count 56 59 115 % within Sex 9.0% 17.5% 12.0% 25-29 Count 79 56 135 % within Sex 12.7% 16.6% 14.1% 30-34 Count 120 54 174 % within Sex 19.4% 16.0% 18.2% 35-39 Count 138 44 182 % within Sex 22.3% 13.1% 19.0% 40-44 Count 105 38 143 % within Sex 16.9% 11.3% 14.9% 45-49 Count 33 11 44 % within Sex 8.4% 6.2% 7.6%		1 (12-23 mo)	Count	2	1	3
% within Sex .2% 1.5% .6% 5-12 Count 1 1 2 % within Sex .2% .3% .2% 13-19 Count 8 33 41 % within Sex 1.3% 9.8% 4.3% 20-24 Count 56 59 115 % within Sex 9.0% 17.5% 12.0% 25-29 Count 79 56 135 % within Sex 12.7% 16.6% 14.1% 30-34 Count 120 54 174 % within Sex 19.4% 16.0% 18.2% 35-39 Count 138 44 182 % within Sex 22.3% 13.1% 19.0% 40-44 Count 105 38 143 % within Sex 16.9% 11.3% 14.9% 45-49 Count 52 21 73 % within Sex 8.4% 6.2% 7.6% <td></td> <td></td> <td>% within Sex</td> <td>.3%</td> <td>.3%</td> <td>.3%</td>			% within Sex	.3%	.3%	.3%
S-12		2-4	Count	1	5	6
Note			% within Sex	.2%	1.5%	.6%
13-19		5-12	Count	1	1	2
Within Sex			% within Sex	.2%	.3%	.2%
20-24		13-19	Count	8	33	41
Within Sex 9.0% 17.5% 12.0%			% within Sex	1.3%	9.8%	4.3%
Deciding to Count Total		20-24	Count	56	59	115
Within Sex 12.7% 16.6% 14.1% 30-34 Count 120 54 174 16.0% 18.2% 16.0% 18.2% 16.0% 18.2% 16.0% 18.2% 16.0% 18.2% 16.0% 18.2% 16.0% 16.0% 18.2% 16.0%			% within Sex	9.0%	17.5%	12.0%
30-34		25-29	Count	79	56	135
Within Sex 19.4% 16.0% 18.2% 35-39 Count 138 44 182 % within Sex 22.3% 13.1% 19.0% 40-44 Count 105 38 143 14.9% 45-49 Count 52 21 73 % within Sex 8.4% 6.2% 7.6% 50-54 Count 33 11 44 % within Sex 5.3% 3.3% 4.6% 55-59 Count 8 3 11 % within Sex 1.3% .9% 1.1% 60-64 Count 5 4 9 % within Sex 8.8% 1.2% .9% 65-69 Count 2 3 5 % within Sex 3.3% 3.5% 70+ Count 5 0 5 % within Sex 3.8% 0.9% .5% 70+ Count 5 0 5 % within Sex 3.8% 0.0% .5% Unknown Count 1 0 1 % within Sex 2.2% 0.0% 1.1% Total			% within Sex	12.7%	16.6%	14.1%
35-39 Count 138 44 182 8 8 44 182 19.0% 40-44 Count 105 38 143 14.9% 45-49 Count 52 21 73 8 8 44 8 8 8 8 143 14.9% 15.0% 11.3% 14.9% 15.0% 11.3% 14.9% 15.0% 11.3% 14.9% 15.0% 11.3% 14.9% 15.0% 11.3% 14.9% 15.0%		30-34	Count	120	54	174
Within Sex 22.3% 13.1% 19.0% 40-44 Count 105 38 143 14.9% 45-49 Count 52 21 73 % within Sex 8.4% 6.2% 7.6% 50-54 Count 33 11 44 % within Sex 5.3% 3.3% 4.6% 55-59 Count 8 3 11 % within Sex 1.3% .9% 1.1% 60-64 Count 5 4 9 % within Sex 8.8% 1.2% 9% 65-69 Count 2 3 5 % within Sex 3.3% 3.5% 70+ Count 5 0 5 % within Sex 3.8% 3.9% .5% 70+ Count 5 0 5 % within Sex 3.8% 3.9% .5% 70+ Count 5 0 5 % within Sex 3.8% 3.0% .5% Unknown Count 1 0 1 % within Sex 2.2% .0% .1% Total			% within Sex	19.4%	16.0%	18.2%
40-44		35-39	Count	138	44	182
Within Sex 16.9% 11.3% 14.9% 45-49 Count 52 21 73 76% 50-54 Count 33 11 44 66.2% 7.6% 55-59 Count 8 3 11 60-64 Count 5 4 9 65-69 Count 2 3 5 65-69 Count 5 4 9 65-69 Count 5 4 9 65-69 Count 5 5 5 5 6 65-69 Count 65-			% within Sex	22.3%	13.1%	19.0%
A5-49		40-44	Count	105	38	143
Note			% within Sex	16.9%	11.3%	14.9%
50-54 Count % within Sex 33 11 44 55-59 Count % within Sex 8 3 11 60-64 Count 5 4 9 % within Sex .8% 1.2% .9% 65-69 Count 2 3 5 % within Sex .3% .9% .5% 70+ Count 5 0 5 % within Sex .8% .0% .5% Unknown Count 1 1 0 1 % within Sex .2% .0% .1% Total Count 620 337 957		45-49	Count	52	21	73
Note			% within Sex	8.4%	6.2%	7.6%
55-59 Count % within Sex 8 3 11 60-64 Count % within Sex 5 4 9 % within Sex .8% 1.2% .9% 65-69 Count 2 3 5 % within Sex .3% .9% .5% 70+ Count 5 0 5 % within Sex .8% .0% .5% Unknown Count 5 0 1 % within Sex .2% .0% .1% Total Count 620 337 957		50-54	Count	33	11	44
Within Sex 1.3% .9% 1.1%			% within Sex	5.3%	3.3%	4.6%
60-64 Count % within Sex 5 4 9 65-69 Count 2 3 5 % within Sex .3% .9% .5% 70+ Count 5 0 5 % within Sex .8% .0% .5% Unknown Count 1 1 0 1 % within Sex .2% .0% .1% Total Count 620 337 957		55-59	Count	8	3	11
Within Sex Sex			% within Sex	1.3%	.9%	1.1%
65-69 Count % within Sex 2 3 5 70+ Count % within Sex 5 0 5 % within Sex .8% .0% .5% Unknown Count % within Sex .2% .0% .1% Total Count % 620 337 957		60-64	Count	5	4	9
Within Sex .3% .9% .5%			% within Sex	.8%	1.2%	.9%
70+ Count % within Sex 5 0 5 % within Sex .8% .0% .5% Unknown Count 1 0 1 % within Sex .2% .0% .1% Total Count 620 337 957		65-69	Count	2	3	5
Weak of the content of the c			% within Sex	.3%	.9%	.5%
Unknown Count % within Sex 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		70+	Count	5	0	5
% within Sex .2% .0% .1% Total Count 620 337 957			% within Sex	.8%	.0%	.5%
Total Count 620 337 957		Unknown	Count	1	0	1
Total Count 620 337 957			% within Sex	.2%	.0%	.1%
% within Sex 100.0% 100.0% 100.0%	Total		Count	620	337	
	ĺ		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	5	6	11
Age		% within Sex	.8%	1.8%	1.1%
	13-19	Count	4	10	14
		% within Sex	.6%	3.0%	1.5%
	20-24	Count	17	27	44
		% within Sex	2.7%	8.0%	4.6%
	25-29	Count	39	59	98
		% within Sex	6.3%	17.5%	10.2%
	30-34	Count	58	50	108
		% within Sex	9.4%	14.8%	11.3%
	35-39	Count	122	60	182
		% within Sex	19.7%	17.8%	19.0%
	40-44	Count	144	48	192
		% within Sex	23.2%	14.2%	20.1%
	45-49	Count	116	41	157
		% within Sex	18.7%	12.2%	16.4%
	50-54	Count	61	16	77
		% within Sex	9.8%	4.7%	8.0%
	55-59	Count	28	8	36
		% within Sex	4.5%	2.4%	3.8%
	60-64	Count	16	4	20
		% within Sex	2.6%	1.2%	2.1%
	65-69	Count	2	5	7
		% within Sex	.3%	1.5%	.7%
	70+	Count	8	3	11
		% within Sex	1.3%	.9%	1.1%
Total		Count	620	337	957
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	267	92	359
		% within Sex	43.1%	27.3%	37.5%
	African American	Count	299	228	527
		% within Sex	48.2%	67.7%	55.1%
	Hispanic	Count	37	13	50
		% within Sex	6.0%	3.9%	5.2%
	Asian-Pacific Islander	Count	8	1	9
		% within Sex	1.3%	.3%	.9%
	Am Indian-Alaskan	Count	1	1	2
		% within Sex	.2%	.3%	.2%
	Not Specified	Count	8	2	10
		% within Sex	1.3%	.6%	1.0%
Total	<u> </u>	Count	620	337	957
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Mode of Exposure * Sex Crosstabulation^a

			Se		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	297	0	297
Exposure		% within Sex	47.9%	.0%	31.0%
	IDU	Count	70	62	132
		% within Sex	11.3%	18.4%	13.8%
·	M-M & IDU	Count	62	0	62
		% within Sex	10.0%	.0%	6.5%
	Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.1%
	Heterosexual Contact	Count	56	143	199
		% within Sex	9.0%	42.4%	20.8%
	Transfusion	Count	7	8	15
		% within Sex	1.1%	2.4%	1.6%
	Not Classified	Count	118	110	228
		% within Sex	19.0%	32.6%	23.8%
	Ped Hemophiliac	Count	2	0	2
		% within Sex	.3%	.0%	.2%
	Ped Parent at Risk	Count	7	12	19
		% within Sex	1.1%	3.6%	2.0%
	Ped Other-Undet	Count	0	2	2
		% within Sex	.0%	.6%	.2%
Total		Count	620	337	957
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 5

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

			Adult-Ped			
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	5	353	1	359
		% within Adult-Ped	26.3%	37.7%	100.0%	37.5%
	African American	Count	12	515	0	527
		% within Adult-Ped	63.2%	55.0%	.0%	55.1%
	Hispanic	Count	2	48	0	50
		% within Adult-Ped	10.5%	5.1%	.0%	5.2%
	Asian-Pacific Islander	Count	0	9	0	9
		% within Adult-Ped	.0%	1.0%	.0%	.9%
	Am Indian-Alaskan	Count	0	2	0	2
		% within Adult-Ped	.0%	.2%	.0%	.2%
	Not Specified	Count	0	10	0	10
		% within Adult-Ped	.0%	1.1%	.0%	1.0%
Total		Count	19	937	1	957
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 5